



Project No: 4786842793-1 Report No: 4786842793-1b Report Issued Date: 2015-05-07

Test Report

Customer Company & Address:					
Company Name: Premium Quality Lighting, Inc.					
ADD: 2285 Ward Avenue / Simi Valley, CA 93065					
Telephone:	18003238107				

Manufacturer:	Premium Quality Lighting, Inc.	
Country of Origin:	CHINA	
Country of Export:	N/A	
Product Description:	Lamp Type: LED Lamp	
	Total Amount Of Light Source: 120	
	Manufacturer Of Light Source: Everlight Electronics	
	Co.,Ltd	
	Model Number Of Light Source: 67-21S Series	
Model Number:	Model Name: 90539	
Electrical Specification:	Rated voltage: 120-277V	
	Frequency: 50/60Hz	
	Wattage: 18 W	

Test Laboratory & Address:						
UL Verification Services (Guangzhou) Co., Ltd. ADD: Building A1, 1F & 2F, Nansha Science and Technology Innovation Center, No. 25, South Huanshi						
Avenue , Nansha District, Guangzhou 511458, China						
Telephone:	+86 20 28667188	Fax:	+86 20 83486605			

Receipt of Test Samples: 2015-03-09	Test Period : 2015-03-29~2015-04-02	
-------------------------------------	--	--

Tested By	Approved By	
Jackson Zong/Jackson Zeng	Sean Xiao	
Test Personnel Name & Signatory	Approval Name & Signatory	

The results reported herein have been performed in accordance with the laboratory's terms of accreditation. This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report apply to the test sample(s) mentioned above at the time of the testing period only and are not to be used to indicate applicability to other similar products. This report does not imply that the product(s) has met the criteria for certification.

Doc No: 10-CT-F0059





Project No: 4786842793-1 Report No: 4786842793-1b Report Issued Date: 2015-05-07

Test Report

Statement of Results

Test Flow	Test Method	Sample ID (Lab)	Sample Serial No.	Pass/Fail/NA
1.	Integrating Sphere Test	2079478-S001	N/A	Evaluate by customer

Deviation from Test Method (if any)

N/A

Remark (if any)

1. This report shall not be used by the client to claim product endorsement by NVLAP, NIST or any agency of the US government.

Doc No: 10-CT-F0059





Project No: 4786842793-1 Report No: 4786842793-1b Report Issued Date: 2015-05-07

Test Report

Test No.1: Integrating Sphere Test

Environmental Conditions

Temperature: 25.1°C

Test Equipment

Equipment II	Equipment ID Equipment Name		te Calibration Due Date
GVS-LE-PE00	GVS-LE-PE001 Integrating Sphere		Before Use
GVS-LE-FS01	9 Measurement Standard	Lamp 8/19/2014	8/18/2014

Test Sample

2079478-S001

Test Method

The sample (bare lamp) was tested according to the IES LM-79-2008. Photometric paramters were measured using an integrating sphere, a spectroradiometer and software. The ambient temperature condition inside the sphere was maintained at 25 $^{\circ}$ C \pm 1 $^{\circ}$ C.

The sample measurements were made using a spectroradiometer connected by a fiber optic cable and detector through the detector port of the integrating sphere. The sample was operated at rated voltage and was stabilized before measurement. Chromaticity coordinates, correlated color temperature and color rendering index were calculated from the spectral radiant flux measurements taken at 1 nm intervals over the range of 380 to 780 nm.

Test Results

Test Type	(V AC)	Frequency (Hz)	Current (A)	Power (W)	Power Factor	Orientation	Operate time (Min.)	Stabilization time (Min.)
Input	120.05	60	0.1631	18.954	0.968	Base up	58	50

Test type	CCT	Luminous Flux	Color Rendering Index	Luminous Efficacy
	(K)	(lm)	Ra	(lm/W)
Output	5090	2300.862	84.4	121.392

Doc No: 10-CT-F0059






Project No: 4786842793-1 Report No: 4786842793-1b Report Issued Date: 2015-05-07


Test Report

Test Condition

Temperature: 25.1°C RH: ----% Spectrum Range: 380-780 nm Scan Step: 1 nm

Spectroradiometric Parameters





x0=0.3434 y0=0.3593

Chromaticity Coordinates: x=0.3434 y=0.3593 u'=0.2073 v'=0.4881

Correlated Color Temperature: 5090 K Dominant Wavelength: 566.0 nm(E)

Luminous Flux: 2300.862 lm Purity: 0.1080

Chromaticity Difference: +0.00451Duv Peak Wavelength: 454.9 nm

Color Ratio: Kr=33.3% Kg=54.7% Kb=12.0%

Bandwidth: 26.1nm Radiant Flux: 6.736 W

Rendering Index: Ra=84.4

R1=83 R2=91 R3=95 R4=81 R5=82 R6=87 R7=87 R8=68

R9=14 R10=79 R11=80 R12=62 R13=86 R14=98 R15=77

Doc No: 10-CT-F0059






Project No: 4786842793-1 Report No: 4786842793-1b Report Issued Date: 2015-05-07

Test Report

Photos of sample





Doc No: 10-CT-F0059





Project No: 4786842793-1 Report No: 4786842793-1b Report Issued Date: 2015-05-07

Test Report

Doc No: 10-CT-F0059