



PREMIUM QUALITY LIGHTING

# 90976

## LED V4 DIMMER COMPATIBILITY TECHNICAL DATA SHEET



### LED DIMMER COMPATIBILITY

BRAND	MODEL	Pin_nodim (W)	Io_nodim (mA)	Pin_min-dim (W)	Io_mindim (mA)	Vo_mindim (V)	Pin_max-dim (W)	Io_max-dim (mA)	Vo_max dim(V)	Flicker?	Pin_range_low(%)	Pin_range_high(%)	Io_range_low(%)	Io_range_high(%)	Pin_loss (W)	Pin_star (W)	Group Dimming (8pcs)	
Lutron	DVCL-153P	8.2	161	0.5	3	35.9	7.5	139	42.8	N	6.10%	91.46%	1.86%	86.34%	0.7		OK	
	MA-600			1.5	13	36.9	7.8	149	43.1	43.1	N	18.29%	95.12%	8.07%	92.55%	0.4		OK
	DV-600P-WH			1.4	15	37.1	7.7	143	42.9	42.9	N	17.07%	93.90%	9.32%	88.82%	0.5		OK
	S-600P-WH			1	11	36.8	7.6	142	42.9	42.9	N	12.20%	92.68%	6.83%	88.20%	0.6		OK
	CTCL-153P-WH			1.2	13	36.9	7.5	139	42.8	42.8	N	14.63%	91.46%	8.07%	86.34%	0.7		OK
	D-603P-WH			0	0	0	7.4	139	42.8	42.8	N	0.00%	90.24%	0.00%	86.34%	0.8	3.3	OK
	D-600P-WH			0.4	4	36	7.4	138	42.6	42.6	N	4.88%	90.24%	2.48%	85.71%	0.8	3.4	OK
Leviton	TTI06-1	8.2	161	0.3	1	34.5	8	147	43.1	N	3.66%	97.56%	0.62%	91.30%	0.2		OK	
	No.6633-P			0.8	8	36.5	8	156	43.5	43.5	N	9.76%	97.56%	4.97%	96.89%	0.2		OK
	IPI06-1LZ			1	9	36.5	7.9	149	43.2	43.2	N	12.20%	96.34%	5.59%	92.55%	0.3		OK
	No.6641			0	0	0	7.5	143	42.9	42.9	N	0.00%	91.46%	0.00%	88.82%	0.7	4.1	OK
	No.6631			0	0	0	7.7	146	43	43	N	0.00%	93.90%	0.00%	90.68%	0.5	2.1	OK
	No.6681			0.9	13	37	8.1	159	43.7	43.7	N	10.98%	98.78%	8.07%	98.76%	0.1		OK