



PREMIUM QUALITY LIGHTING

90968 / 90970

LED V4 DIMMER COMPATIBILITY

TECHNICAL DATA SHEET



LED DIMMER COMPATIBILITY

BRAND	MODEL	Pin_nodim (W)	Io_nodim (mA)	Pin_min-dim (W)	Io_mindim (mA)	Vo_mindim (V)	Pin_max-dim (W)	Io_max-dim (mA)	Vo_max dim(V)	Flicker?	Pin_range_low(%)	Pin_range_high(%)	Io_range_low(%)	Io_range_high(%)	Pin_loss (W)	Group Dimming (1-10pcs)
LUTRON	DVCL-153P	12.53	159	0.7	3.3	56.5	11.22	136.6	67	NO	5.59%	89.55%	2.08%	85.91%	1.31	OK
	MA-600	12.53	159	1.8	10	57.4	11.49	140	66.9	NO	14.37%	91.70%	6.29%	88.05%	1.04	OK
	DV-600P	12.53	159	1.65	14.69	58.2	11.3	139.1	67	NO	13.17%	90.18%	9.24%	87.48%	1.23	OK
	D-603P-WH	12.53	159	0.09	0	0	10.86	135	66.6	NO	0.72%	86.67%	0.00%	84.91%	1.67	OK
LEVITON	6631	12.53	159	0.23	0	0	11.55	134.6	67.2	NO	1.84%	92.18%	0.00%	84.65%	0.98	OK
	6161	12.53	159	0.47	0	0	12.04	148.3	67.4	NO	3.75%	96.09%	0.00%	93.27%	0.49	OK
	TTI06-1	12.53	159	0.35	0	0	11.71	143.3	67	NO	2.79%	93.46%	0.00%	90.13%	0.82	OK
	6681	12.53	159	1.42	14.93	58.2	12.4	156.3	67.9	NO	11.33%	98.96%	9.39%	98.30%	0.13	OK
	6633-P	12.53	159	1.09	9.65	57.6	12.31	154.4	68	NO	8.70%	98.24%	6.07%	97.11%	0.22	OK
	IPI06	12.53	159	1	6.78	57.1	11.75	145.5	67.4	NO	7.98%	93.77%	4.26%	91.51%	0.78	OK