



## COMPACT FLUORESCENT CFL LAMPS

Superior Life® compact fluorescent light bulbs are an efficient way to lamp sockets once traditionally reserved for incandescents, while consuming up to 75% less energy and thereby significantly reducing operating costs. They provide competitive performance, efficiency and up to 12,000 hours of maintenance-free operation. Available in a full selection of sizes, color temperatures and designs that allow a convenient fit for nearly every style of fixture.

**Application:** Ideal use in residential and commercial application; general lighting, wall sconces, floor and table lamps, ceiling and pendent fixtures.

## FEATURES

- **Less Heat Output** - reducing air conditioning load.
- **Low Profile** - to fit a wide variety of fixtures.
- **Light-Weight**
- **Instant On, No Flicker**
- **Excellent Color Rendition**
- **Low Starting Temperature** - as low as 0°F.
- **Reliable Electronic Operation**



R20



BR30



BR40



A21



GU24



SPIRAL



R30



*Note: These lamps contain mercury. For proper lamp disposal contact your local municipal solid waste agency directly, call 888-537-4874 or visit [lamprecycle.org](http://lamprecycle.org) for state-specific lamp recycling options. • Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Published lumens are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.*



# COMPACT FLUORESCENT CFL LAMPS



## SOFT GLASS REFLECTORS

| WATTS             | ITEM# | DESCRIPTION              | CEC STATUS | CCT   | LUMENS | LPW | CRI | MOL  | VOLTS | BASE   | LIFE HOURS | TRAD. EQUIV. | CASE |
|-------------------|-------|--------------------------|------------|-------|--------|-----|-----|------|-------|--------|------------|--------------|------|
| <b>R20 LAMPS</b>  |       |                          |            |       |        |     |     |      |       |        |            |              |      |
| 14                | 81691 | 14WR20/27K               |            | 2700K | 500    | 36  | 80  | 4.9" | 120   | MEDIUM | 12,000     | 60W          | 60   |
|                   | 81692 | 14WR20 - SKY-BRITE®      |            | 5000K | 460    | 33  | 80  | 4.9" | 120   | MEDIUM | 12,000     | 60W          | 60   |
| <b>BR30 LAMPS</b> |       |                          |            |       |        |     |     |      |       |        |            |              |      |
| 16                | 82330 | 16WBR30/41K              |            | 4100K | 750    | 47  | 80  | 5.7" | 120   | MEDIUM | 8,000      | 60W          | 24   |
| <b>BR40 LAMPS</b> |       |                          |            |       |        |     |     |      |       |        |            |              |      |
| 23                | 82334 | 23WBR40/50K - SKY-BRITE® |            | 3000K | 1300   | 57  | 80  | 6.3" | 120   | MEDIUM | 8,000      | 90W          | 12   |

## SPECIALTY LAMPS

| WATTS              | ITEM# | DESCRIPTION              | CEC STATUS | CCT   | LUMENS | LPW | CRI | MOL  | VOLTS | BASE   | LIFE HOURS | TRAD. EQUIV. | CASE |
|--------------------|-------|--------------------------|------------|-------|--------|-----|-----|------|-------|--------|------------|--------------|------|
| <b>A21 LAMPS</b>   |       |                          |            |       |        |     |     |      |       |        |            |              |      |
| 20                 | 71651 | 20WA21/27K               |            | 2700K | 1100   | 55  | 80  | 5.6" | 120   | MEDIUM | 12,000     | 75           | 24   |
| <b>MINI-SPIRAL</b> |       |                          |            |       |        |     |     |      |       |        |            |              |      |
| 13                 | 71654 | 13W MINI-SPIRAL/27K/GU24 |            | 2700K | 900    | 69  | 85  | 3.5" | 120   | GU24   | 12,000     | 75           | 60   |
| 19                 | 71657 | 19W MINI-SPIRAL/27K/GU24 |            | 2700K | 1250   | 66  | 85  | 4.2" | 120   | GU24   | 12,000     | 90           | 60   |
| 23                 | 71660 | 23W MINI-SPIRAL/27K/GU24 |            | 2700K | 1600   | 70  | 85  | 4.1" | 120   | GU24   | 12,000     | 100          | 60   |

## DIMMABLE LAMPS

| WATTS            | ITEM# | DESCRIPTION            | CEC STATUS | CCT   | LUMENS | LPW | CRI | MOL  | VOLTS | BASE   | LIFE HOURS | TRAD. EQUIV. | CASE |
|------------------|-------|------------------------|------------|-------|--------|-----|-----|------|-------|--------|------------|--------------|------|
| <b>SPIRAL</b>    |       |                        |            |       |        |     |     |      |       |        |            |              |      |
| 14               | 71680 | 14WSPIRAL/27K/DIMMABLE | T20        | 2700K | 900    | 64  | 80  | 5.0" | 120   | MEDIUM | 12,000     | 60           | 72   |
| <b>R30 LAMPS</b> |       |                        |            |       |        |     |     |      |       |        |            |              |      |
| 16               | 81700 | 16WR30/27K/DIMMABLE    |            | 2700K | 750    | 47  | 80  | 5.5" | 120   | MEDIUM | 12,000     | 90           | 12   |

**Note:** These lamps contain mercury. For proper lamp disposal contact your local municipal solid waste agency directly, call 888-537-4874 or visit [lamprecycle.org](http://lamprecycle.org) for state-specific lamp recycling options. • CEC Status identifies items listed on the MAEDBS database that are in compliance with Title 20 or Title 24 Regulations. Visit [www.cacertappliances.energy.ca.gov](http://www.cacertappliances.energy.ca.gov) to confirm compliance. • Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Published lumens are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.

