



INTERIOR COLLECTION

DESIGNER

PREMIUM TRACK LIGHTING
ZOOMABLE BEAM ANGLE

OVERVIEW

Lumens

Delivers up to 90 lumens per watt

CRI

80 or 90

CCT

2700K, 3000K, 3500K, 4000K

Voltage

120V

Optics

15°-45° or 25°-60°

Dimming

Triac or Built-In

Suitable Location

Dry

Standard Finish

Black

White

Silver



Premium Series is a sleek, compact LED track light designed to seamlessly blend into any setting. Its adjustable beam mechanism offers versatile lighting options, from narrow to wide flood distribution, while the precision-engineered head provides 360° horizontal and 90° vertical adjustment for pinpoint light placement. The integrated driver ensures a clean, uncluttered ceiling.

Features

- Sleek, compact design with integrated driver for a clean look.
- Modular concept: interchangeable bases for diverse lighting solutions.
- Adjustable beam options: 15°-45° or 25°-60°.
- Patented joints ensure secure positioning without slippage.
- Full 360° horizontal rotation and 90° vertical tilt for precise aiming.
- Compatible with track, pendant, wall, and surface mounting for ultimate installation flexibility.
- Perfect for retail, galleries, showrooms, offices, residential spaces, and hospitality settings.



10 YR
Warranty
Available¹

BUILD WORKSHEET

Contact sales representative to order.


Sample Code: DPZ10271ZK8T1

DPZ			1	Z					
SERIES*	OUTPUT	CCT	VOLTAGE	OPTICS	FINISH	CRI	DIMMING¹	MOUNTING	WARRANTY
DPZ Designer Premium Zoomable	10 10W	27 2700K	1 120V	Z 15°-45°	K Black	8 80	T Triac	1 Track: Single Circuit - Halo, Juno, Lightolier	10 10 Year Option Blank Standard 5 Year
	15 15W	30 3000K			W White	9 90	V Built-in dimmer for 10W & 20W only.	2 Track: Two Circuit - TEK, HTEK	
	20 20W	35 3500K		Z 25°-60°	S Silver		N None	3 Track: Three Circuit - Global	
	25 25W	40 4000K						P Pendant Mount S Surface Mount W Wall Mount	

* Consult with sales representative for MOQ and lead time.
¹ Built-in dimmer is available only on 10W and 20W models.




ACCESSORIES (Ordered separately)

DPZ			
SERIES*	OUTPUT	TYPE	FINISH
DPZ Designer Premium Zoomable	1 10W & 15W	HL Honeycomb Louver	K Black
	2 20W & 25W	CS Circular Small	W White
		CL Circular Large	
		SQ Square	
		RC Rectangular	
		WW Wall Wash	






DIMENSIONS

10W & 15W



20W & 25W



PERFORMANCE DATA

Lumen outputs shown are for 3000K, 90 CRI, Non-dimming

WATTAGE	OPTICS	LUMENS	LPW	MAX CANDELA
10W	15°	580	61	4137
	45°	776	81	1421
15W	15°	784	54	5455
	45°	1042	72	1876
20W	25°	1383	69	9492
	60°	1740	87	1854
25W	25°	1661	67	11320
	60°	2071	83	2223

MULTIPLIERS

CCT	MULTIPLIER
2700K	0.93
3000K	1.00
3500K	1.07
4000K	1.15

CRI	MULTIPLIER
80+	1.32
90+	1.00

USING MULTIPLIERS (Example for: 20W / 3500K / 80 CRI)

Lumens from chart above	X	CCT Multiplier	X	CRI Multiplier	=	Delivered Lumens
1740	X	1.07	X	1.32	=	2457.5

PHOTOMETRICS Outputs shown are for 3000K, 90 CRI

