



COMPACT FLUORESCENT

---

**HIGH WATTAGE**

Superior Life® compact fluorescent light bulbs are an efficient way to lamp sockets once traditionally reserved for incandescent, while consuming up to 75% less energy and thereby significantly reducing operating costs. They provide competitive performance and efficiency with reduced maintenance.

**Application:** Ideal use in commercial and industrial application; warehouses, task areas, factories, gymnasiums and low/high bays.

# COMPACT FLUORESCENT HIGH WATTAGE

**PQL**  
PREMIUM QUALITY LIGHTING®

## FEATURES

- Lights Instantly, No Flicker
- Excellent Color Rendition
- Reliable Electronic Operation
- Reduced Color Shift - compared Metal Halide lamps.



32W / 42W



65W



85W / 105W



*Note: These lamps contain mercury. For proper lamp disposal contact your local municipal solid waste agency directly, call 888-537-4874 or visit [lamprecycle.org](http://lamprecycle.org) for state-specific lamp recycling options. • Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Published lumens are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.*



**PREMIUM QUALITY LIGHTING® • Phone: 800-323-8107**  
© P.Q.L., Inc. • 2285 Ward Avenue • Simi Valley, CA 93065

**[www.PQLighting.com](http://www.PQLighting.com)**  
Rev: 08/26/2022

# COMPACT FLUORESCENT HIGH WATTAGE



## 120V LAMPS

WATTS	ITEM#	DESCRIPTION	CEC STATUS	COLOR	LUMENS	LPW	CRI	MOL	VOLTS	BASE	LIFE HOURS	TRAD. EQUIV.	CASE
42	81633	42W MINI-SPIRAL/27K/120V/MED	T20	2700K	2820	67	80	7"	120	MEDIUM	8,000	150W	24
	81631	42W MINI-SPIRAL/120/MED - SKY-BRITE®		5000K	2800	67	80	7"	120	MEDIUM	8,000	150W	24
65	80350	65W SPIRAL/27K/120V/MED		2700K	3100	48	80	10.2"	120	MEDIUM	8,000	250W	12
	80351	65W SPIRAL/120V/MED - SKY-BRITE®		5000K	3100	48	80	10.2"	120	MEDIUM	8,000	250W	12
85	80353	85W SPIRAL/120V/MED - SKY-BRITE®		5000K	3900	46	80	11.6"	120	MEDIUM	8,000	300W	12
105	80354	105W SPIRAL/27K/120V/MED		2700K	4900	47	80	12.2"	120	MEDIUM	8,000	400W	12

## 277V LAMPS

WATTS	ITEM#	DESCRIPTION	CEC STATUS	COLOR	LUMENS	LPW	CRI	MOL	VOLTS	BASE	LIFE HOURS	TRAD. EQUIV.	CASE
32	81899	32W MINI-SPIRAL/27K/277V/MED		2700K	1650	52	80	6.7"	277	MEDIUM	8,000	100W	40
42	81903	42W MINI-SPIRAL/27K/277V/MED		2700K	2150	51	80	7"	277	MEDIUM	8,000	150W	40
65	80360	65W SPIRAL/27K/277V/MED		2700K	3100	48	80	10.2"	277	MEDIUM	8,000	250W	12
	80366	65W SPIRAL/277V/MED - SKY-BRITE®		5000K	3100	48	80	10.2"	277	MEDIUM	8,000	250W	12
85	80362	85W SPIRAL/27K/277V/MED		2700K	3900	46	80	11.6"	277	MEDIUM	8,000	300W	12
	80363	85W SPIRAL/277V/MED - SKY-BRITE®		5000K	3900	46	80	11.6"	277	MEDIUM	8,000	300W	12
105	80364	105W SPIRAL/27K/277V/MED		2700K	4900	47	80	12.2"	277	MEDIUM	8,000	400W	12

## ACCESSORY

ITEM#	DESCRIPTION	CASE
82234	E39 (MOGUL) TO E26 (MEDIUM) LAMPHOLDER REDUCER	10



82234

**Hg** *Note: These lamps contain mercury. For proper lamp disposal contact your local municipal solid waste agency directly, call 888-537-4874 or visit [lamprecycle.org](http://lamprecycle.org) for state-specific lamp recycling options. • CEC Status identifies items listed on the MAEDBS database that are in compliance with Title 20 or Title 24 Regulations. Visit [www.cacertappliances.energy.ca.gov](http://www.cacertappliances.energy.ca.gov) to confirm compliance. • Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Published lumens are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.*



**PREMIUM QUALITY LIGHTING® • Phone: 800-323-8107**  
© P.Q.L., Inc. • 2285 Ward Avenue • Simi Valley, CA 93065



**[www.PQLighting.com](http://www.PQLighting.com)**  
Rev: 08/26/2022