



LED LIGHTING

DECORATIVE LAMPS

The Superior Life® decorative lamps provide soft white illumination, ideal for accent lighting in hotels, lobbies and hallways. They consume up to 80% less energy than a traditional decorative lamps, significantly reducing operating costs.

Application: A general purpose replacement for traditional decorative and accent lighting around the home and office; chandeliers, accent lamps, wall sconces, ceiling or pendant fixtures.

FEATURES

- Superior lighting performance
- Energy efficient
- Lightweight and easy installation
- Superior Life® design
- Resembles traditional lighting
- Mercury Free - Environmentally friendly.
- Low heat reduces AC costs

Dimmable Superior Life® dimmable LED lamps function with wall dimmers just as normal incandescent lamps do by allowing full linear dimming control. *(When applicable)*



90780 / 90784



90788



91850



90888



91860

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed on this page are Energy Star® qualified. Visit www.energystar.gov to confirm qualification
• CEC Status identifies items listed on the MAEDBS database that are in compliance with Title 20 or Title 24 Regulations. Visit www.cacertappliances.energy.ca.gov to confirm compliance. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.



LED LIGHTING DECORATIVE LAMPS



DECORATIVE LAMPS

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CEC STATUS	CCT	LUMENS	LPW	BEAM	CRI	MOL	VOLTS	BASE	LIFE HOURS	TRAD. EQUIV.	CASE
DIMMABLE															
3	90784	3W/TEAR DROP/27K/CL/DIMM/CAND			2700K	200	67	360°	82	4.3"	85-265	CANDELABRA	40,000	25W	100
	90788	3WA17/27K/CL/DIMM			2700K	200	67	360°	82	3.7"	120	MEDIUM	40,000	25W	100
6	91850	6W/DECORATIVE/27K/CL/DIMM/CAND	★		2700K	550	92	180°	85	4.1"	120	CANDELABRA	25,000	60W	96
NON-DIMMABLE															
3	90780	3W/TEAR DROP/27K/CL/CAND			2700K	200	67	360°	82	4.3"	85-265	CANDELABRA	40,000	25W	100
6.5	90888	6.5W/DECORATIVE/27K/CL/CAND	★		2700K	500	77	250°	80	4.2"	120	CANDELABRA	25,000	40W	48

GLOBE LAMP

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CEC STATUS	CCT	LUMENS	LPW	BEAM	CRI	MOL	VOLTS	BASE	LIFE HOURS	TRAD. EQUIV.	CASE
6	91860	6WG25/27K/DIMM/WHT	★		2700K	450	75	180°	82	4.8"	120	MEDIUM	25,000	40W	15

ACCESSORY

ITEM#	DESCRIPTION	CASE
70400	E26 (MEDIUM) TO E12 (CANDELABRA) LAMPHOLDER REDUCER	10



70400

Key: P = Pending / N/A = Not Applicable / LPW = Lumens Per Watt / TRAD. EQUIV. = Traditional Equivalent

Note: Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information. • Not all product variations listed on this page are Energy Star® qualified. Visit www.energystar.gov to confirm qualification • CEC Status identifies items listed on the MAEDBS database that are in compliance with Title 20 or Title 24 Regulations. Visit www.cacertappliances.energy.ca.gov to confirm compliance. • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.



PREMIUM QUALITY LIGHTING® • Phone: 800-323-8107
© P.Q.L., Inc. • 2285 Ward Avenue • Simi Valley, CA 93065

www.PQLighting.com
Rev: 08/25/2022