



# LED A LAMPS

GENERAL PURPOSE • OMNI-DIRECTIONAL • 3-WAY

These Superior Life® lamps are an efficient way to light sockets once reserved for traditional lamps. They consume up to 80% less energy, thereby significantly reducing operating costs. The superior life hours of these lamps make them ideal for hard to reach places, reducing maintenance.

## FEATURES

- Superior lighting performance.
- Energy efficient.
- Lightweight and easy installation.
- Long life design.
- Resembles traditional lighting.
- Mercury Free - Environmentally friendly.
- Low heat reduces AC costs.

## *Dimmable*

Superior Life® dimmable LED lamps function with wall dimmers just as normal incandescents do by allowing full linear dimming control. *(When applicable)*

## APPLICATIONS

### RESIDENTIAL & COMMERCIAL



- General Lighting
- Table & Floor Lamps
- Wall Sconces
- Ceiling & Pendant Fixtures

## WARRANTY



## QUALIFICATIONS



Qualifications vary, see technical data for specific information.



# LED A LAMPS



## A15 LAMPS

LED INDOOR LAMPS - A TYPE

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	LIFE	TRAD. EQUIV.	CASE
<b>NON-DIMMABLE</b>														
4.5	91236	4.5A15/30K - SL®		3000K	300	67	150°	80	3.3"	120	MEDIUM	15K	40W	48
	91237	4.5A15/40K - SL®		4000K	300	67	150°	80	3.3"	120	MEDIUM	15K	40W	48

## A19 LAMPS

LED INDOOR LAMPS - A TYPE

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	LIFE	TRAD. EQUIV.	CASE
<b>DIMMABLE</b>														
6	91652	6A19/OMNI/30K/DIMMABLE/V6 - SL®	★	3000K	480	80	220°	86	4.4"	120	MEDIUM	15K	50W	48
8.5	91080	8.5A19/30K/GU24/DIMMABLE - SL®	★	3000K	800	94	230°	82	4.4"	120	GU24	15K	60W	48
9.5	91063	9.5A19/OMNI/30K/DIMMABLE - SL®	★	3000K	800	84	230°	83	4.4"	120	MEDIUM	25K	60W	48
11	91069	11A19/OMNI/27K/DIMMABLE - SL®	★	2700K	1100	100	230°	82	4.4"	120	MEDIUM	25K	75W	48
	91070	11A19/OMNI/30K/DIMMABLE - SL®	★	3000K	1100	100	230°	82	4.4"	120	MEDIUM	25K	75W	48
	91214	11A19/OMNI/30K/DIMMABLE - SL®		3000K	1100	100	220°	80	4.4"	120	MEDIUM	15K	75W	48
	91215	11A19/OMNI/40K/DIMMABLE - SL®		4000K	1100	100	220°	80	4.4"	120	MEDIUM	15K	75W	48
	91072	11A19/OMNI/50K/DIMMABLE - SL®	★	5000K	1100	100	230°	85	4.4"	120	MEDIUM	25K	75W	48
	91216	11A19/OMNI/50K/DIMMABLE - SL®		5000K	1100	100	220°	80	4.4"	120	MEDIUM	15K	75W	48
<b>NON-DIMMABLE</b>														
5.5	91650	5.5A19/OMNI/30K/V6 - SL®		3000K	450	82	220°	80	4.4"	120	MEDIUM	15K	40W	48
9	91653	9A19/30K/V6 - SL®	★	3000K	800	89	220°	82	4.4"	120	MEDIUM	15K	60W	48
9.5	90965	9.5A19/24K/BUG LIGHT - SL®		2400K	650	68	140°	80	4.4"	120	MEDIUM	15K	60W	48
11	91066	11A19/27K - SL®		2700K	1100	100	140°	80	4.4"	120	MEDIUM	15K	75W	48

## A21 LAMPS

LED INDOOR LAMPS - A TYPE

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	LIFE	TRAD. EQUIV.	CASE
<b>DIMMABLE</b>														
13	90974	13A21/OMNI/30K/DIMMABLE/V4 - SL®	★	3000K	1100	85	300°	86	5.3"	120	MEDIUM	25K	75W	10/60
15	90975	15A21/OMNI/30K/DIMMABLE/V4 - SL®		3000K	1600	107	300°	80	5.3"	120	MEDIUM	25K	100W	10/60
16	91075	16A21/OMNI/30K/DIMMABLE - SL®	★	3000K	1600	100	230°	83	5.3"	120	MEDIUM	15K	100W	48
<b>NON-DIMMABLE</b>														
5/9/16	91083	5/9/16A21/30K/3 WAY - SL®	★	3000K	450-1600	90-100	230°	82	5.2"	120	MEDIUM	15K	30/50/100W	48
14	91073	14A21/27K/V4 - SL®		2700K	1521	109	140°	80	5.2"	120	MEDIUM	15K	100W	48
16	91657	16A21/OMNI/27K/V6 - SL®	★	2700K	1600	100	220°	82	5.2"	120	MEDIUM	15K	100W	48
	91658	16A21/OMNI/30K/V6 - SL®	★	3000K	1600	100	220°	84	5.2"	120	MEDIUM	15K	100W	48
	91660	16A21/OMNI/50K/V6 - SL®	★	5000K	1600	100	220°	85	5.2"	120	MEDIUM	15K	100W	48

Key: SL = Superior Life® / LM = Lumens / TRAD. EQUIV. = Traditional Equivalent

Note: Not all product variations listed on this page are Energy Star qualified. Visit [www.energystar.gov](http://www.energystar.gov) to confirm qualification • Published lumens on LED products are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.

