



LED BR LAMPS

REFLECTOR • WIDE FLOOD

Superior Life® BR lamps are an efficient way to light sockets once reserved for traditional lamps. They consume up to 80% less energy, thereby significantly reducing operating costs. The superior life hours of these lamps make them ideal for hard to reach places, reducing maintenance.

FEATURES

- Superior lighting performance
- Energy efficient
- Lightweight and easy installation
- Superior Life® design
- Resembles traditional lighting
- Mercury Free - Environmentally friendly.
- Low heat reduces AC costs

Dimmable Superior Life® dimmable LED lamps function with wall dimmers just as normal incandescent lamps do by allowing full linear dimming control. *(When applicable)*

APPLICATION

RESIDENTIAL & COMMERCIAL



- General Lighting
- Recessed Cans
- Track Lighting
- Ceiling & Pendant Fixtures

WARRANTY



QUALIFICATIONS*



*Qualifications can vary per item, see technical data sheets (TDS) for specific information.





BR20 LAMPS

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CEC STATUS	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	TRAD. EQUIV.	CASE
DIMMABLE															
6	91920	6WBR20/30K/DIMMABLE/V7 - SL®	★	T20	3000K	525	88	105°	92	3.1"	120	MEDIUM	25,000	50W	96

BR30 LAMPS

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CEC STATUS	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	TRAD. EQUIV.	CASE
DIMMABLE															
8	91923	8WBR30/30K/DIMMABLE/V7 - SL®	★	T20	3000K	700	88	105°	91	5.2"	120	MEDIUM	25,000	65W	24
	91924	8WBR30/40K/DIMMABLE/V7 - SL®	★	T20	4000K	700	88	105°	90	5.2"	120	MEDIUM	25,000	65W	24
	91925	8WBR30/50K/DIMMABLE/V7 - SL®	★	T20	5000K	700	88	105°	90	5.2"	120	MEDIUM	25,000	65W	24
9	91665	9WBR30/27K/DIMMABLE/V6 - SL®	★		2700K	650	72	120°	83	5.2"	120	MEDIUM	15,000	65W	24
	91666	9WBR30/30K/DIMMABLE/V6 - SL®	★		3000K	650	72	120°	83	5.2"	120	MEDIUM	15,000	65W	24
	91344	9WBR30/40K/DIMMABLE/V5 - SL®	★		4000K	650	72	120°	82	5.3"	120	MEDIUM	25,000	65W	24
	91664	9WBR30/PINK/DIMMABLE/V6 - SL®		N/A	PINK	200	22	120°	80	5.2"	120	MEDIUM	15,000	65W	24
9.5	90989	9.5WBR30/30K/DIMMABLE/V4 - SL®			3000K	650	68	--	80	5.3"	120	MEDIUM	10,000	65W	6
10	90986	10WBR30/30K/GU24/DIMMABLE/V4 - SL®			3000K	685	69	120°	80	5.1"	120	GU24	40,000	65W	24

BR40 LAMPS

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CEC STATUS	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	TRAD. EQUIV.	CASE
DIMMABLE															
13	91926	13WBR40/30K/DIMMABLE/V7 - SL®	★	T20	3000K	1150	88	105°	91	4.9"	120	MEDIUM	25,000	75W	24
15.5	91776	15.5WBR40/30K/DIMMABLE/V6 - SL®	★		3000K	1100	71	120°	82	6.3"	120	MEDIUM	15,000	75W	24
	91777	15.5WBR40/40K/DIMMABLE/V6 - SL®	★		4000K	1100	71	120°	82	6.3"	120	MEDIUM	15,000	75W	24
	91778	15.5WBR40/50K/DIMMABLE/V6 - SL®	★		5000K	1100	71	120°	82	6.3"	120	MEDIUM	15,000	75W	24

Key: SL = Superior Life® / P = Pending / N/A = Not Applicable / LM = Lumens / TRAD. EQUIV. = Traditional Equivalent

Note: Not all product variations listed on this page are Energy Star® qualified. Visit www.energystar.gov to confirm qualification - CEC Status identifies items listed on the MAEDBS database that are in compliance with Title 20 or Title 24 Regulations. Visit www.cacertappliances.energy.ca.gov to confirm compliance. - Published lumens on LED products are approximate and may vary slightly. - Specifications are subject to change without notice. - Photos and drawings may not be to scale and are for general reference only.

