



LED MR & PAR 16 LAMPS

REFLECTOR • NARROW FLOOD

These Superior Life® lamps are an efficient way to light sockets once reserved for traditional lamps. They consume up to 87% less energy, thereby significantly reducing operating costs. The superior life hours of these lamps make them ideal for hard to reach places, reducing maintenance.

FEATURES

- Superior lighting performance
- Energy efficient - 6.5W replaces a 50W incandescent
- Lightweight and easy installation
- Superior Life® design
- Resembles traditional lighting
- Mercury Free - Environmentally friendly.
- Low heat reduces AC costs

Dimmable Superior Life® dimmable LED lamps function with wall dimmers just as normal incandescent lamps do by allowing full linear dimming control. (When applicable)

APPLICATION

RESIDENTIAL & COMMERCIAL



General Lighting
Recessed Cans
Track Lighting
Display Lighting

WARRANTY



QUALIFICATIONS*



*Qualifications can vary per item, see technical data sheets (TDS) for specific information.



PREMIUM QUALITY LIGHTING® • Phone: 800-323-8107

© P.Q.L., Inc. • 2285 Ward Avenue • Simi Valley, CA 93065

www.PQLighting.com

Rev: 01/13/2021



MR11 LAMP

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CEC STATUS	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	TRAD. EQUIV.	CASE
NON-DIMMABLE															
3	90869	3WMR11/30K/35°/12V/V4 - SL®			3000K	210	70	35°	80	1.7"	12	GU4	30,000	20W	200

MR16 LAMPS

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CEC STATUS	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	TRAD. EQUIV.	CASE
DIMMABLE															
7	91784	7WMR16/30K/35°/DIMMABLE/V6 - SL®	★	T20/JA8	3000K	500	71	35°	80	1.9"	12	GU5.3	25,000	50W	60
	91785	7WMR16/50K/35°/DIMMABLE/V6 - SL®	★	T20	5000K	500	71	35°	80	1.9"	12	GU5.3	25,000	50W	60

PAR16 LAMPS

WATTS	ITEM#	DESCRIPTION	ENERGY STAR®	CEC STATUS	CCT	LUMENS	LM/W	BEAM	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	TRAD. EQUIV.	CASE
DIMMABLE															
5.5	91787	5.5WPAR16/30K/40°/DIMMABLE/V6 - SL®	★	T20	3000K	400	73	40°	94	2.1"	120	GU10	25,000	50W	60
6	91927	6WPAR16/30K/40°/DIMMABLE/V7 - SL®		T20	3000K	500	83	40°	97	2.1"	120	MEDIUM	25,000	50W	96
6.5	91780	6.5WPAR16/30K/40°/DIMMABLE/V6 - SL®	★		3000K	500	77	40°	84	2.9"	120	MEDIUM	15,000	50W	60

Key: SL = Superior Life® / P = Pending / N/A = Not Applicable / LM = Lumens / TRAD. EQUIV. = Traditional Equivalent

Note: Not all product variations listed on this page are Energy Star® qualified. Visit www.energystar.gov to confirm qualification - CEC Status identifies items listed on the MAEDBS database that are in compliance with Title 20 or Title 24 Regulations. Visit www.cacertappliances.energy.ca.gov to confirm compliance. - Published lumens on LED products are approximate and may vary slightly. - Specifications are subject to change without notice. - Photos and drawings may not be to scale and are for general reference only.



PREMIUM QUALITY LIGHTING® - Phone: 800-323-8107
© P.Q.L., Inc. • 2285 Ward Avenue • Simi Valley, CA 93065

www.PQLighting.com
Rev: 01/13/2021