



PREMIUM QUALITY LIGHTING

90933/90934

LED V4 DIMMER COMPATIBILITY

TECHNICAL DATA SHEET



LED DIMMER COMPATIBILITY

BRAND	MODEL	Pin_nodim (W)	Io_nodim (mA)	Pin_min-dim (W)	Io_min-dim (mA)	Vo_min-dim (V)	Pin_max-dim (W)	Io_max-dim (mA)	Vo_max-dim (V)	Flicker?	Pin_range_low(%)	Pin_range_high(%)	Io_range_low(%)	Io_range_high(%)	Pin_loss (W)	Group Dimming (1-10pcs)
Lutron	DVCL-153P	7.4	176	0.5	11	30.2	6.1	150	35.1	NO	6.70%	82.40%	6.25%	85.20%	1.3	OK
	MA-600			1.1	16	31.1	6.8	163	35.4	NO	14.00%	91.89%	9.09%	92.61%	0.6	OK
	DV-600P-WH			0.3	10	30.3	6.3	153	35	NO	4.00%	81.10%	6.25%	86.93%	1.1	OK
	S-600P-WH			0.3	12	30.2	6.2	150	35.1	NO	4.00%	83.78%	6.81%	85.20%	1.2	OK
	CTCL-153P-WH			0.4	13	30.1	6.1	148	34.9	NO	5.40%	82.43%	7.38%	84.09%	1.3	OK
	D-603P-WH			0.1	7	31.1	5.9	146	34.2	NO	1.35%	79.72%	3.90%	82.95%	1.5	OK
	D-600P-WH			0.1	6	30.9	5.9	143	35	NO	1.35%	79.72%	3.41%	81.25%	1.5	OK
	TTCL-100H-WH			1.2	19	32.1	6.2	150	35.1	NO	16.20%	83.78%	10.79%	85.20%	1.2	OK
	TG-600PH-WH			0.3	11	30.2	6.2	151	34.9	NO	4.00%	83.78%	6.25%	85.22%	1.2	OK
Leviton	TTI06-1	7.4	176	0.9	17	30.8	6.8	162	35.5	NO	12.10%	97.10%	9.66%	92.04%	0.6	OK
	No.6633-P			0.3	12	30.1	7.2	170	35.9	NO	4.00%	97.30%	6.81%	96.59%	0.2	OK
	IPI06-1LZ			0.4	11	30.2	6.6	159	35.2	NO	5.40%	89.18%	6.25%	90.34%	0.8	OK
	No.6641			0.6	16	30.4	6.4	155	35.1	NO	8.00%	86.48%	9.09%	88.68%	1	OK
	No.6161			1	18	31.5	7	167	35.5	NO	13.50%	94.60%	10.22%	94.88%	0.4	OK
	No.6631			0.2	6	30.2	6.4	156	34.8	NO	2.70%	86.48%	3.41%	88.71%	1	OK
	No.6681			0.2	6	30.3	7.3	174	35.6	NO	2.70%	98.64%	3.41%	98.80%	0.1	OK