



PREMIUM QUALITY LIGHTING

LED 13WPAR30

V4 DIMMER COMPATIBILITY

TECHNICAL DATA SHEET



LED DIMMER COMPATIBILITY

BRAND	MODEL	Pin_nodim (W)	Io_nodim (mA)	Pin_min-dim (W)	Io_mindim (mA)	Vo_mindim (V)	Pin_max-dim (W)	Io_max-dim (mA)	Vo_max-dim(V)	Flicker?	Pin_range_low(%)	Pin_range_high(%)	Io_range_low(%)	Io_range_high(%)	Pin_loss (W)	Pin_star (W)	Group Dimming (8pcs)
LUTRON	DVCL-153P	13.5	317	0.7	12	30.6	10.3	239	35.1	NO	5.19%	76.30%	3.79%	75.39%	3.2	0.7	OK
	MA-600	13.5	317	1.2	14	30.8	11.23	258	35.4	NO	8.89%	83.19%	4.42%	81.39%	2.27	1.22	OK
	DV-600P	13.5	317	0.3	4	30	10.5	245	35.2	NO	2.22%	77.78%	1.26%	77.29%	3	1.2	OK
	D-603P	13.5	317	0.2	2	29.7	10	235	35.1	NO	1.48%	74.07%	0.63%	74.13%	3.5	3	OK
LEVITON	6631	13.5	317	0.3	3	29.9	10.9	257	35.4	NO	2.22%	80.74%	0.95%	81.07%	2.6	3	OK
	6161	13.5	317	0.5	18	31	12	279	35.8	NO	3.70%	88.89%	5.68%	88.01%	1.5	0.5	OK
	TTI06	13.5	317	0.8	11	30.9	11.4	265	35.6	NO	5.93%	84.44%	3.47%	83.60%	2.1	0.9	OK
	6681	13.5	317	0.3	6	30.2	13.2	308	36	NO	2.22%	97.78%	1.89%	97.16%	0.3	5.1	OK
	6633	13.5	317	0.4	7	30.4	12.5	294	35.9	NO	2.96%	92.59%	2.21%	92.74%	1	3.4	OK
	IPI06	13.5	317	0.4	5	30.3	11.2	263	35.6	NO	2.96%	82.96%	1.58%	82.97%	2.3	5	OK