



PREMIUM QUALITY LIGHTING

LED 18WPAR38

V4 DIMMER COMPATIBILITY

TECHNICAL DATA SHEET



LED DIMMER COMPATIBILITY

BRAND	MODEL	Pin_nodim (W)	Io_nodim (mA)	Pin_min-dim (W)	Io_mindim (mA)	Vo_mindim (V)	Pin_max-dim (W)	Io_max-dim (mA)	Vo_max-dim (V)	Flicker?	Pin_range_low(%)	Pin_range_high(%)	Io_range_low(%)	Io_range_high(%)	Pin_loss (W)	Pin_star (W)	Group Dimming (8pcs)
LUTRON	DVCL-153P	18.8	447	0.8	12	31	14.8	351	35.6	NO	4.26%	78.72%	2.68%	78.52%	4	0.8	OK
	MA-600	18.8	447	1.2	14	31.1	16	373	36	NO	6.38%	85.11%	3.13%	83.45%	2.8	1.1	OK
	DV-600P	18.8	447	0.3	3	30.4	15.3	361	35.7	NO	1.60%	81.38%	0.67%	80.76%	3.5	0.78	OK
	D-603P	18.8	447	0.3	4	30.5	14.5	347	35.7	NO	1.60%	77.13%	0.89%	77.63%	4.3	3.4	OK
LEVITON	6631	18.8	447	0.2	2	30.2	16.1	380	35.9	NO	1.06%	85.64%	0.45%	85.01%	2.7	3	OK
	6161	18.8	447	0.9	18	31.2	17.3	407	36.1	NO	4.79%	92.02%	4.03%	91.05%	1.5	0.9	OK
	TT106	18.8	447	0.9	12	31	16.6	389	36	NO	4.79%	88.30%	2.68%	87.02%	2.2	0.9	OK
	6681	18.8	447	0.3	5	30.5	18.5	437	36.3	NO	1.60%	98.40%	1.12%	97.76%	0.3	6	OK
	6633	18.8	447	0.22	1.2	30	18	423	36.3	NO	1.17%	95.74%	0.27%	94.63%	0.8	4.2	OK
	IPI06	18.8	447	0.4	5	30.5	16.4	388	36	NO	2.13%	87.23%	1.12%	86.80%	2.4	5.6	OK