



COMPACT FLUORESCENT PL / PLC / PLT LAMPS

INDOOR • INTERIOR LIGHTING

Superior Life® compact fluorescent light bulbs are an efficient way to lamp sockets. They provide competitive performance, efficiency and maintenance-free operation. Available in a full selection of sizes, color temperatures and designs that allow a convenient fit for nearly every style of fixture.

FEATURES

- Low Profile
- Light-Weight
- Instant On, No Flicker
- Excellent Color rendition
- Low Starting Temperature
- Reliable Electronic Operation

 *Note: These lamps contain mercury. For proper lamp disposal contact your local municipal solid waste agency directly, call 888-537-4874 or visit lamprecycle.org for state-specific lamp recycling options.*

APPLICATION

RESIDENTIAL & COMMERCIAL



- General Lighting
- Wall Sconces
- Table & Floor Lamps
- Ceiling & Pendant Fixtures

WARRANTY*



**Warranty and Qualifications can vary per item, see technical data sheets (TDS) for specific information.*



PREMIUM QUALITY LIGHTING® • Phone: 800-323-8107
© P.Q.L., Inc. • 2285 Ward Avenue • Simi Valley, CA 93065

www.PQLighting.com

Rev: 12/16/2020



PL LAMPS

WATTS	ITEM#	DESCRIPTION	COLOR	LUMENS	LM/W	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	CASE
5	81716	PL5/27K/G23 - SUPERIOR LIFE®	2700K	210	42	80	4.2"	120	G23	12,000	200
	81718	PL5/41K/G23 - SUPERIOR LIFE®	4100K	210	42	80	4.2"	120	G23	12,000	200
7	81720	PL7/27K/G23 - SUPERIOR LIFE®	2700K	360	51	80	5.3"	120	G23	12,000	200
	81722	PL7/35K/G23 - SUPERIOR LIFE®	3500K	360	51	80	5.3"	120	G23	12,000	200
	81724	PL7/41K/G23 - SUPERIOR LIFE®	4100K	360	51	80	5.3"	120	G23	12,000	200
	81726	PL7/G23 - SKY-BRITE®	5000K	360	51	80	5.3"	120	G23	12,000	200
9	81728	PL9/27K/G23 - SUPERIOR LIFE®	2700K	530	59	80	6.5"	120	G23	12,000	50
	81730	PL9/35K/G23 - SUPERIOR LIFE®	3500K	530	59	80	6.5"	120	G23	12,000	200
	81732	PL9/41K/G23 - SUPERIOR LIFE®	4100K	530	59	80	6.5"	120	G23	12,000	200
13	81734	PL13/27K/GX23 - SUPERIOR LIFE®	2700K	720	55	80	7.1"	120	GX23	12,000	200
	81736	PL13/35K/GX23 - SUPERIOR LIFE®	3500K	720	55	80	7.1"	120	GX23	12,000	200
	81738	PL13/41K/GX23 - SUPERIOR LIFE®	4100K	720	55	80	7.1"	120	GX23	12,000	200
	81740	PL13/GX23 - SKY-BRITE®	5000K	720	55	80	7.1"	120	GX23	12,000	200


PLC - 2 PIN LAMPS

WATTS	ITEM#	DESCRIPTION	COLOR	LUMENS	LM/W	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	CASE
9	81768	PLC9/27K/G23-2 - SUPERIOR LIFE®	2700K	525	58	80	4.2"	120	G23-2	12,000	200
	81770	PLC9/41K/G23-2 - SUPERIOR LIFE®	4100K	525	58	80	4.2"	120	G23-2	12,000	200
13	81772	PLC13/27K/GX23-2 - SUPERIOR LIFE®	2700K	660	51	80	4.6"	120	GX23-2	12,000	200
	81774	PLC13/35K/GX23-2 - SUPERIOR LIFE®	3500K	660	51	80	4.6"	120	GX23-2	12,000	200
	81776	PLC13/41K/GX23-2 - SUPERIOR LIFE®	4100K	660	51	80	4.6"	120	GX23-2	12,000	200
	81778	PLC13/GX23-2 - SKY-BRITE®	5000K	660	51	80	4.6"	120	GX23-2	12,000	200
18	81786	PLC18/27K/G24D-2 - SUPERIOR LIFE®	2700K	1080	60	80	6"	120	G24D-2	12,000	200
	81788	PLC18/35K/G24D-2 - SUPERIOR LIFE®	3500K	1080	60	80	6"	120	G24D-2	12,000	200
	81790	PLC18/41K/G24D-2 - SUPERIOR LIFE®	4100K	1080	60	80	6"	120	G24D-2	12,000	200
26	81798	PLC26/27K/G24D-3 - SUPERIOR LIFE®	2700K	1560	60	80	6.8"	120	G24D-3	12,000	200
	81800	PLC26/30K/G24D-3 - SUPERIOR LIFE®	3000K	1560	60	80	6.8"	120	G24D-3	12,000	200
	81802	PLC26/35K/G24D-3 - SUPERIOR LIFE®	3500K	1560	60	80	6.8"	120	G24D-3	12,000	200
	81804	PLC26/41K/G24D-3 - SUPERIOR LIFE®	4100K	1560	60	80	6.8"	120	G24D-3	12,000	200

PLC - 4 PIN LAMPS

WATTS	ITEM#	DESCRIPTION	COLOR	LUMENS	LM/W	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	CASE
13	81780	PLC13/27K/G24Q-1 4 PIN - SUPERIOR LIFE®	2700K	780	60	80	5.2"	120	G24Q-1	12,000	200
	81781	PLC13/30K/G24Q-1 4 PIN - SUPERIOR LIFE®	3000K	780	60	80	5.2"	120	G24Q-1	12,000	200
	81782	PLC13/35K/G24Q-1 4 PIN - SUPERIOR LIFE®	3500K	780	60	80	5.2"	120	G24Q-1	12,000	200
	81784	PLC13/41K/G24Q-1 4 PIN - SUPERIOR LIFE®	4100K	780	60	80	5.2"	120	G24Q-1	12,000	200
18	81792	PLC18/27K/G24Q-2 4 PIN - SUPERIOR LIFE®	2700K	1080	80	80	5.8"	120	G24Q-2	12,000	200
	81793	PLC18/30K/G24Q-2 4 PIN - SUPERIOR LIFE®	3000K	1080	80	80	5.8"	120	G24Q-2	12,000	200
	81794	PLC18/35K/G24Q-2 4 PIN - SUPERIOR LIFE®	3500K	1080	80	80	5.8"	120	G24Q-2	12,000	200
	81796	PLC18/41K/G24Q-2 4 PIN - SUPERIOR LIFE®	4100K	1080	80	80	5.8"	120	G24Q-2	12,000	200

BASE KEY



Hg Note: These lamps contain mercury. For proper lamp disposal contact your local municipal solid waste agency directly, call 888-537-4874 or visit lamprecycle.org for state-specific lamp recycling options. • Published lumens are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.





PLC - 4 PIN LAMPS (cont'd)

WATTS	ITEM#	DESCRIPTION	COLOR	LUMENS	LM/W	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	CASE
26	81806	PLC26/27K/G24Q-3 4 PIN - SUPERIOR LIFE®	2700K	1560	60	80	6.5"	120	G24Q-3	12,000	200
	81808	PLC26/30K/G24Q-3 4 PIN - SUPERIOR LIFE®	3000K	1560	60	80	6.5"	120	G24Q-3	12,000	200
	81810	PLC26/35K/G24Q-3 4 PIN - SUPERIOR LIFE®	3500K	1560	60	80	6.5"	120	G24Q-3	12,000	200
	81812	PLC26/41K/G24Q-3 4 PIN - SUPERIOR LIFE®	4100K	1560	60	80	6.5"	120	G24Q-3	12,000	200
	81813	PLC26/G24Q-3 4 PIN - SKY-BRITE®	5000K	1560	60	80	6.5"	120	G24Q-3	12,000	50


PLL - 4 PIN LAMPS

WATTS	ITEM#	DESCRIPTION	COLOR	LUMENS	LM/W	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	CASE
18	81746	PLL18/35K/2G11 4 PIN - SUPERIOR LIFE®	3500K	1050	58	80	8.9"	120	2G11	36,000	50
24	81748	PLL24/35K/2G11 4 PIN - SUPERIOR LIFE®	3500K	1500	63	80	12.7"	120	2G11	36,000	50
36	81752	PLL36/30K/2G11 4 PIN - SUPERIOR LIFE®	3000K	2400	67	80	16.5"	120	2G11	36,000	50
	81754	PLL36/35K/2G11 4 PIN - SUPERIOR LIFE®	3500K	2400	67	80	16.5"	120	2G11	36,000	50
	81756	PLL36/41K/2G11 4 PIN - SUPERIOR LIFE®	4100K	2400	67	80	16.5"	120	2G11	36,000	50
40	81758	PLL40/30K/2G11 4 PIN - SUPERIOR LIFE®	3000K	2800	70	80	22.5"	120	2G11	36,000	50
	81760	PLL40/35K/2G11 4 PIN - SUPERIOR LIFE®	3500K	2800	70	80	22.5"	120	2G11	36,000	50
	81762	PLL40/41K/2G11 4 PIN - SUPERIOR LIFE®	4100K	2800	70	80	22.5"	120	2G11	36,000	50
	81764	PLL40/2G11 4 PIN - SKY-BRITE®	5000K	2800	70	80	22.5"	120	2G11	36,000	50
55	81766	PLL55/35K/2G11 4 PIN - SUPERIOR LIFE®	3500K	3900	71	80	21.2"	120	2G11	36,000	50

PLT - 4 PIN LAMPS

WATTS	ITEM#	DESCRIPTION	COLOR	LUMENS	LM/W	CRI	MOL	VOLTS	BASE	AVG. LIFE HOURS	CASE
13	81821	PLT13/27K/GX24Q-1 4 PIN - SUPERIOR LIFE®	2700K	810	62	80	4.2"	120	GX24Q-1	12,000	100
	81814	PLT13/35K/GX24Q-1 4 PIN - SUPERIOR LIFE®	3500K	810	62	80	4.2"	120	GX24Q-1	12,000	100
18	81816	PLT18/35K/GX24Q-2 4 PIN - SUPERIOR LIFE®	3500K	1080	60	80	4.6"	120	GX24Q-2	12,000	100
26	81815	PLT26/27K/GX24Q-3 4 PIN - SUPERIOR LIFE®	2700K	1560	60	80	5.2"	120	GX24Q-3	12,000	100
	81817	PLT26/30K/GX24Q-3 4 PIN - SUPERIOR LIFE®	3000K	1560	60	80	5.2"	120	GX24Q-3	12,000	100
	81818	PLT26/35K/GX24Q-3 4 PIN - SUPERIOR LIFE®	3500K	1560	60	80	5.2"	120	GX24Q-3	12,000	50
	81819	PLT26/41K/GX24Q-3 4 PIN - SUPERIOR LIFE®	4100K	1560	60	80	5.2"	120	GX24Q-3	12,000	100
32	81820	PLT32/27K/GX24Q-3 4 PIN - SUPERIOR LIFE®	2700K	2400	75	80	5.8"	120	GX24Q-3	12,000	100
	81822	PLT32/30K/GX24Q-3 4 PIN - SUPERIOR LIFE®	3000K	2400	75	80	5.8"	120	GX24Q-3	12,000	100
	81824	PLT32/35K/GX24Q-3 4 PIN - SUPERIOR LIFE®	3500K	2400	75	80	5.8"	120	GX24Q-3	12,000	50
	81826	PLT32/41K/GX24Q-3 4 PIN - SUPERIOR LIFE®	4100K	2400	75	80	5.8"	120	GX24Q-3	12,000	100
	81828	PLT32/GX24Q-3 4 PIN - SKY-BRITE®	5000K	2400	75	80	5.8"	120	GX24Q-3	12,000	100
42	81831	PLT42/27K/GX24Q-4 4 PIN - SUPERIOR LIFE®	2700K	3200	76	80	6.8"	120	GX24Q-4	12,000	100
	81829	PLT42/30K/GX24Q-4 4 PIN - SUPERIOR LIFE®	3000K	3200	76	80	6.8"	120	GX24Q-4	12,000	100
	81830	PLT42/35K/GX24Q-4 4 PIN - SUPERIOR LIFE®	3500K	3200	76	80	6.8"	120	GX24Q-4	12,000	50
	81832	PLT42/41K/GX24Q-4 4 PIN - SUPERIOR LIFE®	4100K	3200	76	80	6.8"	120	GX24Q-4	12,000	100
	81833	PLT42/GX24Q-4 4 PIN - SKY-BRITE®	5000K	3200	76	80	6.8"	120	GX24Q-4	12,000	100

BASE KEY



Hg Note: These lamps contain mercury. For proper lamp disposal contact your local municipal solid waste agency directly, call 888-537-4874 or visit lamprecycle.org for state-specific lamp recycling options. • Published lumens are approximate and may vary slightly. • Specifications are subject to change without notice. • Photos and drawings may not be to scale and are for general reference only.

